





















TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
1	Boss		Supreme	Thread: M28 x 1.5 mm		✓	✓	M28	
2	Comap / SAR		Senso TRV, S2P, Western 5 TRV	Thread: M28 x 1.5 mm		✓	✓	M28	
3	Herz, Honeywell		7230 / 7235 / 7260 / 7262 / Thera 3	Thread: M28 x 1.5 mm		✓	✓	M28	
4	MMA Markaryd		Evosense Sprint & Public / MTW-AD / DTW / VR10	Thread: M28 x 1.5 mm		✓	✓	M28	
5	Myson			Thread: M28 x 1.5 mm		✓	✓	M28	


TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
6	Oventrop / Herz	OV	Uni LA	Thread: M28 x 1.5 mm		✓	✓	M28	
7	Pegler Yorkshire	PEGLER PY	Conic / Bulldog	Thread: M28 x 1.5 mm		✓	✓	M28	
8	SALUS, SAM (Slovarm)	SALUS		Thread: M28 x 1.5 mm		✓	✓	M28	
9	Siemens	SIEMENS		Thread: M28 x 1.5 mm		✓	✓	M28	
10	Sunvic	sunvic	TRV 510	Thread: M28 x 1.5 mm		✓	✓	M28	

TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
11	TA			Thread: M28 x 1.5 mm		✓	✓	M28	
12	Caleffi			Clamp: 23 mm		✓	✓	CAL	
13	Emmeti			Clamp: 23 mm		✓	✓	CAL	
14	Giacomini			Clamp: 22.6 mm		✓	✓	GIA	
15	Roca			Clamp: 22.6 mm		✓	✓	GIA	

TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
16	Danfoss		RAV	Clamp: 34 mm with 4 notches		✓	✓	RAV	
17	Oventrop		UniLDV	Clamp: 34 mm with 4 notches		✓	✓	RAV	
18	Danfoss		RAVL	Clamp: 25.5 mm with 4 notches		✓	✓	RAVL	
19	Oventrop		UniLDVL	Clamp: 25.5 mm with 4 notches		✓	✓	RAVL	
20	Danfoss/Honey well		RA-A, B, C T2000/ T6000/ T3000/ RAS C2	Clamp: 23mm with Notches		✓	✓	RA	

TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
21	Oventrop / Buderus	OV	UniXD	Clamp: 23mm with notches		✓	✓	RA	
22	Altecnic	altecnic	Ecocal	Thread: M30 x 1.5 mm		✓	/	/	
23	Caleffi			Thread: M30 x 1.5 mm		✓	/	/	
24	Carlo Poletti			Thread: M30 x 1.5 mm		✓	/	/	

TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
25	Comap / SAR			Thread: M30 x 1.5 mm		✓	/	/	
26	Danfoss		RAS CK	Thread: M30 x 1.5 mm		✓	/	/	
27	Drayton		RT212 / RT313 / RT414 / TRV4	Thread: M30 x 1.5 mm		✓	/	/	
28	Gampper			Thread: M30 x 1.5 mm		✓	/	/	
29	Heimeier			Thread: M30 x 1.5 mm		✓	/	/	

TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
30	Honeywell	Honeywell	Thera T1000, T2000, T3000, T4000, T6000 Series. VT117E / VT200E / VT15	Thread: M30 x 1.5 mm		✓	/	/	
31	Junkers			Thread: M30 x 1.5 mm		✓	/	/	
32	MNG			Thread: M30 x 1.5 mm		✓	/	/	
33	Myson		TRV 2 Way Petite	Thread: M30 x 1.5 mm		✓	/	/	
34	Oventrop		Vindo TH / Uni series / Pinox H	Thread: M30 x 1.5 mm		✓	/	/	

TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
35	R.B.M.			Thread: M30 x 1.5 mm		✓	/	/	
36	SALUS			Thread: M30 x 1.5 mm		✓	/	/	
37	Schlösser			Thread: M30 x 1.5 mm		✓	/	/	
38	Siemens		RTN51, SSA911. 01TH	Thread: M30 x 1.5 mm		✓	/	/	
39	Simplex			Thread: M30 x 1.5 mm		✓	/	/	

TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
40	Valf Sanayli			Thread: M30 x 1.5 mm		✓	/	/	
41	Watts Industries			Thread: M30 x 1.5 mm		✓	/	/	

Note: If your valve is not on this list or none of the adapters given fit your valve, consider replacing your valve with a thermostatic radiator valve. M30 x 1.5 mm.

Please note that all information in this guide is indicative and in no way complete.